



OLIVE CAKE PELLETS

TYPICAL SPECIFICATIONS

	Unit	As Received	Dry Basis	Dry Ash-Free
Total Moisture	%	10.0		
Ash Content	%	5.2	5.8	
Volatile Matter	%	66.4	73.8	78.3
Fixed Carbon	%	18.4	20.4	21.7
Total Sulphur	%	0.08	0.09	0.10
Chlorine	%	< 0.01	< 0.01	< 0.01
Carbon	%	44.9	49.9	53
Hydrogen	%	5.71	6.34	6.73
Nitrogen	%	0.80	0.89	0.94
Oxygen by Difference	%	33.3	37.0	39.3
Gross Calorific Value	KCal / kg	4212	4680	4969
Gross Calorific Value	MJ / kg	17.636	19.596	20.803
Net Calorific Value	KCal / kg	3858		
Net Calorific Value	MJ / kg	16.153		
Hardgrove Index	-	23		
Oil	%	1.9		
Hexane	mg / kg	< 10		
Stone Content	%	46.5		

NOTES

The Olive Cake Pellets are for use as an industrial bio-fuel in dedicated bio-fuel and coal co-combustion utility and power generation plants.

The Pellets demonstrate exceptional resistance to the absorption of humidity and are therefore suitable for uncovered storage when appropriately stockpiled.